

FOR THE **ULTIMATE** SHOWER EXPERIENCE



Our innovative new shower pump boosts pressure throughout your home – whether you're upgrading your bathroom or tired of a shower that isn't powerful enough, EVE is for you.

- Easy product selection one pump fits all.
- Showers and taps retain pressure - you can open other outlets in the home, such as a tap or flush the toilet and EVE will automatically retain the pressure in the shower.
- Adjustable pressure settings EVE can operate at 1.5 bar, 2.0 bar, or 3.0 bar pressure depending on user preference.
- Compact one small unit delivering outstanding pressure and flow.

ADJUSTABLE, WITH NO LOSS OF PRESSURE

Using the control panel, EVE can be set to 1.5, 2.0 or 3.0 bar, depending on your needs.

If the pressure is too much or too little, it can be changed, even after fitting. This pump's adjustable speed motor, combined with clever electronics, means that in the 1.5 bar and 2.0 bar settings it will maintain pressure even when multiple outlets are open.





MAINTAINED PRESSURE OVER MULTIPLE OUTLETS

IDENTIFYING YOUR HEATING SYSTEM.

If you want excellent water performance in your shower. bathroom or whole house you need a shower pump.

DO YOU HAVE THIS...

...BUT WANT THIS?





EVE is designed to work in a gravity-fed system.

Identifying your system type is simple:

You have a gravity-fed system if you have a cold water storage tank in your loft and hot water cylinder.



If you don't have a gravity-fed system, Salamander Pumps have other products that can help.

> Please call 0191 5162002 or visit www.salamanderpumps.co.uk for advice on which pump is right for you.

THE ONLY PUMP YOU'LL EVER NEED.

EVE is many pumps rolled into one – making it the ideal pump for getting the job done.

> 1.5, 2.0 and 3.0 bar settings

EVE facts:

- enough pressure and flow to start the
- a compact, brushless motor.
- Adjust the pressure of your shower with
- Robust brass connections.

Positive and negative systems

No loss of pressure

from Salamander Pumps: GB2465392B, GB2402444B, GB2517719, GB2506280.

on 0191 516 2002.





COLD OUT

BRASS FITTINGS

Robust brass connections and comes complete with anti-vibration hoses.



COLD IN

UNIVERSAL PUMP

Will work in both positive and negative head, gravity-fed installations.



TEL: 0191 516 2002

Visit www.salamanderpumps.co.uk/EVE for further information.

@SALAMANDERPUMPS





EVE is protected by the following patents: GB2465392B, GB2402444B, GB2517719, GB2506280.